

PT Meditrans Global



Consumables Cardiology DES Stent



DES Stent



Features:

- Low-Profile Drug-Eluting Stent Design with High Flexibility
- Ultra-thin design with a polymer thickness <3µm
- Cobalt Chromium L-605 Material
- Novolimus Drug Delivery









Features:

FPU MEDICAL

- DES + DCB, Bio-Compatible CoCr(L605) Alloy
- Hybrid Cell design for higher strength and flexibility
- Biodegradable Drug Polymer completely degrades in 6-7 month
- Unique strut design for flexibility and larger surface area
- Added Extra Connectors at the Proximal and Distalendsrein force Axial and Radial Strength



DES Stent

- 75µm strut thickness
- 3.4% Low recoil ratio
- PLGA biodegradable polymer
- 90-days drug releasing period
- MRI compatible
- Super flexibility and crossability
- Earlier endothelialization



Consumables Cardiology

Drug Coating Balloon (DCB)



Everflow

Drug Coating Balloon (DCB)

Features:

- CE Certificate
- Drug Delivery Specific Balloon Catheter
- Special HighBind Uniformly 100% Balloon Surface Coating
- Better drug Adhesion/High Drug Transfer to Vessel.
- Precision Drug Loading








Features:

- Low dose paclitaxel at 2μ/mm²
- Novel excipient Acetyl Tributyl Citrate (ATBC)
- Z Glide improved tracking with proprietary lubricious coating
- Bi-Segment Inner Shaft and Laser Bonded Tip

Agent[™] Paclitaxel-Coated PTCA Balloon Catheter





Consumables Cardiology PTCA Balloon

Gusta II


Balloon Dilatation Catheter

Features:

• Superior deliverability advanced design

- Stable optimized lubricious hydrophilic coating
- The excellent smooth transition between hub and proximal shaft





- Second Se
- Accurate compliance and safe burst pressure ensure ideal dilatation outcome
- A broad range of specifications, allows for refined manipulation when treating complex lesions



Gusta NC II Balloon Dilatation Catheter



- 2.00mm length of tapered tip and fully wrapped guidewire design
- Advanced material design

Consumables Cardiology Imaging Catheter



OptiCross & Pullback

Imaging Catheter

Features:

- Best-in-Class Image Quality
- Exceptional Deliverability
- Advanced Coating and Balloon-like Technology
- Best-in-Class Image Quality
- Improved Ease of Use



Scientific

Comet Imaging Catheter



Features:

% vivolight

- Shapeable and atraumatic Asahi tip
- Precision cut body for 1:1 torque
- Optimized rail support for device delivery
- Free-spinning, quick-release handle
- One wire for the entire procedure
- Optical technology for superior drift performance and reliable signal connection

Pathfinder 164

Imaging Catheterr

- Low-profile: 2.58 Fr
- Hydrophobic coating
- Enhanced out-layer of distal catheter
- Short distance from Lens to Tip: 20mm





Consumables Cardiology Accessories

Manifold

Accessories



Features:

- Pressure Rating Up to 500psi (34bar)
- Multiple Port Configurations with Rotating Adapter
- Soft Type Options, providing flexibility with different types of tubing or connectors.





Inflation Device



Features:

- Medium pressure(500psi) 3 ways stopcock with vented cap.
- 30cm (1200psi) extension tube, Volume: 20ml.

Extension Tube



Package Contains:

- Customizeable Length
- High Pressure Rating (500 psi/1200 psi)
- No Braided and Braided Options
- F/M Luer Lock & Rotating Adapter Options





Pressure Bandage



- Medical Grade Silicone.
- Easy Monitoring of Puncture Site.
- Comfortable band, available various size.

Consumables Cardiology Accessories



Y - Connector Pack

Features:

- Large lumen: Max 9Fr(3.0mm) for various device compatibility.
- One-hand operation with 4 types: Rotat-
- ing, Push-Click, Push-Pull and Push-Rotate.
- Clear polycarbonate body enable good observation of bleeding.
- Pressure injection allowance up to 400psi.





Introducer Set Femoral

Features:

- Different color and number make easy identity for different French size.
- Atraumatic tip reduce the damage to the artery.
- Cross-cut haemostasis valve minimizing blood reflux and air aspiration.
- 0.035" or 0.038" Stainless steel guidewire, Ni-Ti guidewire available.

Introducer Set Transradial

- Longer tapers ensure smooth transition.
- Atraumatic tip reduces damage to the artery. Cross-cut haemostasis valve minimizing blood
- reflux and air aspiration.
- Stainless steel guidewire, hydrophilic guidewire with cannula needle available.





Consumables Cardiology Accessories

Hydrophilic Guidewire

Features:

- High quality Niti core wire for better navigation and faster vessel selection
- TPU jacket with tungsten providing excellent visibility under X-ray
- Unique coating technology ensure a lubricant surface durable





Guidewire J - Tip

Features:

- High quality PTFE pre-coated stainless steel.
- Highly flexible and smoothly rounded wire tip.
- Special designed dispenser to achieve easy flush.
- J tip radius: 3.0 mm or 1.5mm

Angiographic Catheter

- Soft tip reduces potential for vessel trauma
- Double braided stainless steel for 1:1 torque control
- Maximum pressure: 1200psi / 84 bar
- Maximum Guide wire: 0.038" / 0.97 mm



Consumables Cardiology Angiography Set





Standard Backage

Package Contains:

 burges: Cown tize to Anglography Urabe. Absorbent Trivvel, Body Cover, Guardian Cover Upper Image Cover, and Instrument Table Cover.



MIRAIL



A global L

dependition and

Angioset Paket 3

Six Gard Bokger - CACIS

Package Contains:

- Stational Solvige
- * C/05/500



Angioset Paket 2

Como ete Peckago

Package Contoins:

- standare Paekage
- Expension et la filla

MIRAII you ca



Angloset Paket 4

Complete Package + CAVS set.

Pockage Contains:

- Standard Package.
- Separate Net
- * 1965-595



Capital Product Intravascular Coronary

Cornaris P-80E

Intravascular Coronary

Features:

- ≤15 μm High-resolution Imaging
- Single OCT pullback could obtain multimodal assessment; Index of Plaque Attenuation (IPA), Virtual Flow Ratio (VFR), Intelligent Calcium Assessment (ICA) Rapid Imaging Modes
- Advanced Assessments: Auto-calculation of Neointimal Coverage, Auto Quantitative Bifurcation Assessment to optimize treatment strategies.
- Enhanced Workflow: Angiographic co-registration, 3D View





Q-Angio XA 3D Intravascular Coronary



🎇 vivolight

Features:

Clinical Evidence

The angio-based solution supported by the greatest number of peer-reviewed scientific publications

• User Friendly

Simple & intuitive worklow, applicable for inprocedure as well as offline usage.

- *Time & Cost Efficiency* No pressure wire, no adenosine. Reduces treatment costs and procedure time.
- *Eccentric Lesions* Accurate even in the case of eccentric lesions.







Boston Scientific

Features:

- Vibrant Digital Display Enhanced feedback and deceleration indicator
- Ergonomic Dynaglide[™] Design Simple system removal
- Able to navigate calcified lesions with 1:1 torque through tortuous anatomy












Features:

- Fully integrated and mobile options fit seamlessly in any facility.
- Reduce capital footprint and integrate into existing hemodynamic system to transmit FFR result directly into patient record. Compatible with all major hemodynamic systems



Enter / edit patient info



Capital Product Electrophysiology

LabsPro 2D Mapping & Maestro

Features:

- Excellent electrogram signal processing and analysis.
- Customizable layout and procedure flow Waveform export in a variety of raw and image formats (ASCII, Binary, JPG, and BMP).
- Enhancements to user interface for improved patient assessment.










- Magnetic Tracking Accuracy and Precision
- Auto-detect all front panel connections excluding the stimulation, blood pressure, and patch connections
- Support automatic identification of Boston Scientific magnetically tracked catheters









Holter Monitoring

Features:

- Lightweight Design (50g), IP27 Protection Grade
- Event Marker M and Extensive Software Analysis









Features:

- Extensive ECG and Blood Pressure Analysis Tools
- Overtime and overpressure protection

SE-1010 Holter Monitoring



- Wired and wireless solutions
- Clear and reliable 12-lead ECG Waveforms acquisition
- Compatible with reputable treadmills & bicycles
- Comprehensive analysis





Capital Product Electrocardiograph

SE-1200 Express

Electrocardiograph

Features:

- 8" high resolution color touch screen and Alphanumeric
- keyboard
- Extended printing once arrhythmia is detected for further rhythm analysis
- Internal storage up to 800 ECGs
- Data transmission to PC via LAN/internal Wi-Fi



SE-12 Electrocardiograph



Features:

💓 EDAN

 Customized exercise protocols in addition to Bruce and Modified Bruce

catalogue

- Support exercise blood pressure monitor
- Anti-noise technology with comprehensive filters and high CMRR >140dB
- Internal storage up to 800 ECGs
- Data transmission via series port/LAN/Wi-Fi
- Optional Data Management System

SE-300

Electrocardiograph



- 8" high resolution color touch screen and Alphanumeric keyboard
- 12-lead dengan 24-bit A/D Converter
- Extended printing once arrhythmia is detected for further rhythm analysis
- Internal storage up to 800 ECGs
- Data transmission to PC via LAN/Wi-Fi







Stress Test with Treadmill 👩 EDAN

Stress Test System

Features:

- ECG Software support 18/16/15/12/9-lead Analysis
- Built-in ECG glossary and Electrode Inversion
- Wired/Wireless Sampling Box
- Connect to HIS/EMR/PACs/CIS
- Self-calibrating Runner Treadmill (Stress Test)



Stationary Bike



Stress Test System

- Compatible with Edan SE-12 Express ECG Machine and most stress test software
- Ergonomic handrails and emergency stop switch



Capital Product Intensive Care



Patient Monitor

Features:

- 15" Full HD Touch Screen
- 6 Standard Parameter
- Continuous Noninvasive Blood
- Pressure (CNBP),
- 15s iFAST Rapid Blood Pressure Measurement





X12 Patient Monitor



Features:

- Ultraslim 12.1" and High Resolution Screen
- 8GB Internal Memory
- Built in WIFI
- Optional CO2, Dual IBP Slots, 6-12 lead ECG
- Arrythmia and ST Analysis

iM3

Patient Monitor



💓 EDAN

- Ultra Slim Design and Weight <2.5kg
- Quick Pass : BP Measurement, New Patient, Type Switch
- 105° Tilted with Customizable Shortcut
- Full options of SpO2, NIBP and Temp Measurement









💓 EDAN

Features:

- Touchscreen operation method,
- Free combination & Flexible assembling
- Infusion compensation algorithm
- Needle-off alarm







Features:

- Effortless Installation and Removal
- Equipped with high sensitivity infusion scale
- Needle-off alarm



HP70 Infusion Pump



- Touchscreen operation method,
- Free combination & Flexible assembling
- Infusion compensation algorithm
- Needle-off alarm





Radiology Solution

Voyager PACS

Cloud Reporting Teleradiology PACS

Features:

- Pre-emptive download for real-time reporting.
- Web viewing via LAN, WAN, and Internet.
- Scalable from small practices to wide systems.
- Compliant with DICOM, JPEG standards.
- Fast access to online images, including streaming.
- Import documents/images, DICOM printing, CD/DVD burning.
- Low-cost entry, high performance and security
- Expandable storage and multi-server options
- Web viewers (high-end and Zero Foot Print)
- Able to use standard and commercially computers, servers, operating systems and network infrastructure with expandable storage capability
- Email referrer when Report/images are available for review



iPad

Voyager Telerad

Teleradiology Profesional Tools

Features:

- Customizable interface and toolbars
- Image manipulation and true-size display
- Window & Level (including W/L presets)
- Measurements, annotations, and multiple enhancements
- DICOM printing and export
- Upgradeable to PACS Workstation


Voyager RIS



Cloud Reporting Teleradiology RIS

- Integrated with PACS and HIS for for patients, staff, and radiologists efficiency.
- Reception System
- Reporting and Administration
- Patient Reporting
- Booking System and other Utilities.







Construction Radiation Protection

Lead Lining

Lead Shielding Services

MEDITRANS

Features:

- Reduces and neutralizes radiation exposure.
- Effective radiation protection with 2 mm lead thickness.





Lead Glass

High-quality Pb Glass



Features:

- Protects cameras and electronic equipment from X-ray exposure.
- Specially designed to absorb X-ray radiation while allowing light transmission.

Radiation-Resistant Doors

- Available finishes: HPL, Stainless Steel, or Galvanized Powder Coating.
- Pb (lead) coated for effective X-ray radiation protection.
- Ideal for radiology rooms, as well as laboratories and isolation rooms.
- Provides robust shielding against X-ray exposure.





Advancing Healthcare Together.

PT Meditrans Global



Jakarta : JI Munggang no. 86-87 Balekambang Kramat Jati, Jakarta Timur, 13530 Surabaya : Rungkut Menanggal Harapan Blok O No. 28, Surabaya 60293 Others : Bandung, Makassar, Medan, Balikpapan



(021) 2204 7248 (031) 87856576 (+62) 821 8000 1102



meditrans.id

info@meditrans.id

C me

meditrans.id